


MANUAL




WWW.CLF-LIGHTING.COM


V2.1 JUNE 2024

TABLE OF CONTENTS


| Dimensions | 1 |
|---|----|
| Safety instruction | 2 |
| Protection from burns and fire | 3 |
| Protection from injury | 3 |
| Lamp life | 3 |
| Fixture overview | 4 |
| Introduction | 5 |
| Powerful outdoor beam ultra | 5 |
| Using for the first time | 5 |
| AC Power | 5 |
| Power voltage | 5 |
| Power cables | 6 |
| Relaying power to other devices | 6 |
| Data link | 6 |
| Tips for reliable data transmission | 6 |
| Physical installation | 7 |
| Fastening the fixture to a flat surface | 7 |
| Rigging via omega bracket | 8 |
| Outdoor IP-rated fixtures | 9 |
| Condensation/moisture inside housing | 9 |
| Fixtures temperature specification | 9 |
| Temporary usage | 9 |
| Setup | 10 |
| Control panel and menu navigation | 10 |
| DMX address setting | 10 |
| W-DMX control | 10 |
| Onboard control menu | 11 |
| DMX protocol | 14 |
| Gobo overview | 17 |
| Photometrics | 18 |
| How to clean the front lens | 19 |
| Circuit connection diagram | 20 |
| Specifications | 21 |
| | |


DIMENSIONS All dimensions are in millimeters







439









SAFETY INSTRUCTION



WARNING! Read the safety precautions in this section before installing, powering, operating or servicing this product.

The following symbols are used to identify important safety information on the product and in this manual:



DANGER! Safety hazard. Risk of severe injury or death.



DANGER! Hazardous voltage. Risk of lethal or severe electric shock.



WARNING! Fire hazard.



WARNING! LED light emission. Risk of eye injury.



WARNING! Burn hazard. Hot surface. Do not touch



Wear protective

evewear.



WARNING! Refer to user manual.



Do not look into the beam at short distance of the of the product. Do not view the light output with optical instruments or any device that may concentrate the beam.



This product is for professional use only. It is not for household use.

This product presents risks of severe injury or death due to fire and burn hazards, electric shock and falls.

Read this manual before installing, powering or servicing the fixture, follow the safety precautions listed below and observe all warnings in this manual and printed on the fixture. If you have questions about how to operate the fixture safely, please contact your supplier.



PROTECTION FROM ELECTRIC SHOCK

- Disconnect the fixture from AC power before removing or installing any cover or part.
- Always ground (earth) the fixture electrically.



- Use only a source of AC power that complies with local building and electrical codes and has both overload and ground-fault (earth-fault) protection.
- Before using the fixture, check that all power distribution equipment and cables are in perfect condition and rated for the current requirements of all connected devices.
- Power input and throughput cables must be rated 20A minimum, have three conductors 1.5 mm² (16 AWG) minimum conductor size and an outer cable diameter of 5 15 mm. Cables must be hard usage type (SJT or equivalent) and heat-resistant to 90°C minimum.
- Use only PowerCON TRUE 1[®] cable connectors to connect to power input sockets. Use only PowerCON TRUE1[®] cable connectors to connect to power throughput sockets.
- Isolate the fixture from power immediately if the power plug or any seal, cover, cable, or other component is
 damaged, defective, deformed, wet or showing signs of overheating. Do not reapply power until repairs have been
 completed.
- Refer any service operation not described in this manual to a qualified technician.
- Socket outlets used to supply fixture fixtures with power or external power switches must be located near the
 fixtures and easily accessible so that the fixtures can easily be disconnected from power.

PROTECTION FROM BURNS AND FIRE





- The exterior of the fixture becomes hot during use. Avoid contact by persons and materials. Allow the fixture to cool for at least 5 minutes before handling.
- Keep all combustible materials (e.g. fabric, wood, paper) at least 1 metres away from the fixture.
- Keep flammable materials well away from the fixture.
- Ensure that there is free and unobstructed airflow around the fixture.
- Do not illuminate surfaces within 12 metres of the fixture.
- Do not attempt to bypass thermostatic switches or fuses.
- If you relay power from one fixture to another using power throughout sockets, do not connect more than five fixtures in total to eachother in an interconnected chain.
- Connect only other fixtures to fixture power throughout sockets.
- Do not stick filters, masks or other materials onto any optical component.
- Do not modify the fixture in any way not described in this manual.



PROTECTION FROM INJURY

- Fasten the fixture securely to a fixed surface or structure when in use. The fixture is not portable when installed.
- Ensure that any supporting structure and/or hardware used can hold at least 10 times the weight of all the devices they support.
- Allow enough clearance around the head to ensure that it cannot collide with an object or another fixture when it moves.
- Check that all external covers and rigging hardware are securely fastened.




- Block access below the work area and work from a stable platform whenever installing, servicing or moving the fixture.
- Do not operate the fixture with missing or damaged covers, shields or any optical component.

LAMP LIFE



Lamp life can vary, caused by many factors. For example external temperature, humidity, lamp strikes, dimming or power/voltage.

FIXTURE OVERVIEW



INTRODUCTION

POWERFUL OUTDOOR BEAM ULTRA

- IP65 DUST AND WATER PROTECTION
- 200MM LENS FOR 1.6° BEAM
- CMY AND COLOR WHEEL
- GOBO WHEEL, FROST AND 2 PRISMS
- LIGHT WEIGHT SLIM HOUSING

USING FOR THE FIRST TIME



Warning! Read "Safety Information" before installing, powering, operating or servicing the fixture. Before applying power to the fixture:

Check that the local AC mains power source is within the fixture's power voltage and frequency ranges.

See "Power cables and power plug" on page 6. Install a PowerCON TRUE1 ® power input connector power cable.

AC POWER



Warning! Read "Safety Information" starting on before connecting the fixtures to AC mains power.

Warning! For protection from electric shock, the fixture must be grounded (earthed). The power distribution circuit must be equipped with a fuse or circuit breaker and ground-fault (earth-fault) protection.

Warning! Socket outlets or external power switches used to supply the fixture with power must be located near the fixture and easily accessible so that the fixtures can easily be disconnected from power.



Important! Do not insert or remove live PowerCON TRUE 1 ® connectors to apply or cut power, as this may cause arcing at the terminals that will damage the connectors.

Important! Do not use an external dimming system to supply power to the fixture, as this may cause damage to the fixture that is not covered by the product warranty.

The fixture can be hard wired to a electrical installation if you want to install it permanently, or a power plug that is suitable for the local power outlets can be installed on the power cable.



POWER VOLTAGE

Warning! Check that the voltage range specified on the fixture serial number label matches the local AC mains power voltage before applying power to the fixture.

The fixtures accepts AC mains power at 100-240V nominal, 50/60 Hz. Do not apply AC mains power to the fixture at any other voltage than specified.



Warning! This product contain a ni-mh battery

POWER CABLES

Power input and throughput cables must be rated 16A minimum, have three conductors 1.5 mm² (16 AWG) minimum conductor size and an outer cable diameter of 5 - 15 mm. Cables must be hard usage type (SJT or equivalent) and heat- resistant to 90°C minimum. In the EU the cable must be HAR approved or equivalent.

If you install a power plug on the power cable, install a grounding-type (earthed) plug that is rated 16A minimum. Follow the plug manufacturer's instructions. Table 1 shows standard wire color-coding schemes and some possible pin identification schemes; if pins are not clearly identified.

| Wire Color (EU models) | Wire Color (US models) | Conductor | Symbol |
|------------------------|------------------------|----------------|----------|
| Brown | Black | Live | L |
| Blue | White | Neutral | Ν |
| Yellow/Green | Green | Ground (earth) | (≟) or ≟ |

Table 1: Wire color-coding and power connections

RELAYING POWER TO OTHER DEVICES

Warning! Do not connect more than four fixtures in total in one interconnected chain. Power can be relayed to another device via the PowerCON TRUE 1 ® throughput socket.

If you daisy chain the fixtures in a chain so that they all draw AC mains power via the first fixture, certain points must be respected:

A heavy duty, three-conductor, 16 AWG or 1.5 mm² cable with SJT or equivalent cable jacket must be used to connect the first fixture to

AC mains power. PowerCON TRUE1 ® connectors must be used to draw AC mains power from the fixtures power throughput socket and yellow PowerCON TRUE 1 ® connectors must be used to supply power at the fixture's power input sockets.

DATA LINK

A DMX 512 data link is required in order to control a fixture via DMX. The fixture has 5-pin XLR connectors for DMX data input and output. The pin-out on all connectors is pin 1 = shield, pin 2 = cold (-), and pin 3 = hot (+) Pins 4 and 5 in the 5-pin XLR connectors are not in use.

TIPS FOR RELIABLE DATA TRANSMISSION

To connect the fixture to data:

- 1. Connect the DMX data output from the controller to the 5-pin XLR connector of the nearest fixture.
- 2. Connect the DMX output of the first fixture to the DMX input of the next fixture and continue connecting fixtures.

PHYSICAL INSTALLATION



Warning! The fixture must be either fastened to a flat surface such as a stage or wall, or clamped to a truss or similar structure in any orientation using a rigging clamp.

Warning! Always attach an approved safety cable to one of the safety cable attachment points on the base.

Do not illuminate surfaces within 12 meters of the fixture. Ensure that flammable materials (wood, fabric, paper, etc.) are minimum 1 meters from the fixture and allow a free airflow around the fixture.

FASTENING THE FIXTURE TO A FLAT SURFACE

The fixture can be fastened to a fixed flat surface that is oriented at any angle. Check that the surface can support at least 10 times the weight of all fixtures and equipment to be installed.



Warning! The supporting surface must be hard and flat or cooling may be blocked, which will cause overheating. Fasten the fixture securely. Do not place it on unstable surfaces. Always attach a securely anchored safety cable to the safety cable attachment point.

 Block access under the work area. Working from a stable platform, hang the fixture on the truss with the arrow on the base towards the area to be illuminated. Tighten the rigging clamp.
 Secure the fixture against clamp failure with a secondary attachment such as an approved safety cable that is rated for the weight of the fixture using one of the attachment points at the edges of the base (see "Fixture overview"). Do not use any other part of the fixture as a safety cable attachment point.

The installation of the fixture has to be built and constructed in a way that it can hold 10 times the weight for 1 hour without any harming deformation.

The installation must always be secured with a secondary safety attachment, e.g. an appropriate catch net. This secondary safety attachment must be constructed in a way that no part of the installation can fall down if the main attachment fails.

When rigging, derigging or servicing the fixture staying in the area below the installation place, on bridges, under high working places and other endangered areas is forbidden.

The operator has to make sure that safety-relating and machine-technical installations are approved by an expert before taking into operation for the first time and after changes before taking into operation another time.

The operator has to make sure that safety-relating and machine-technical installations are approved by an expert after every four year in the course of an acceptance test.

The operator has to make sure that safety-relating and machine-technical installations are approved by a skilled person once a year.

The fixture should be installed outside areas where persons may walk by or be seated.

IMPORTANT! OVERHEAD RIGGING REQUIRES EXTENSIVE EXPERIENCE, including (but not limited to) calculating working load limits, installation material being used, and periodic safety inspection of all installation material and the projector. If you lack these qualifications, do not attempt the installation yourself, but instead use a professional structural rigger. Improper installation can result in bodily injury or damage to property. The fixture has to be installed out of the reach of people.



If the fixture shall be lowered from the ceiling or high joists, professional trussing systems have to be used. The fixture must never be fixed swinging freely in the room.

Caution: Fixture may cause severe injuries when crashing down! If you have doubts concerning the safety of a possible installation, do not install the moving head!

Before rigging make sure that the installation area can hold a minimum point load of 10 times the fixture's weight.

When installing the device, make sure there is no highly inflammable material (decoration articles, etc.) in a distance of min. 1m.

Use an appropriate clamp to rig the fixture on the truss.

Follow the instructions mentioned at the bottom of the base.


Make sure that the device is fixed properly! Ensure that the structure (truss) to which you are attaching the fixtures is secure.



The fixture can be placed directly on the stage floor or rigged on a truss without altering its operation characteristics .


For securing the fixture to the truss, install a safety wire which can hold at least 10 times the weight of the fixture. Use only the safety wire with a snap hook with screw lock gate. Fasten the safety cable in the attachment point and around the truss as shown on the picture below.

RIGGING VIA OMEGA BRACKET:



OUTDOOR IP-RATED FIXTURES

CLF products are applied to official classified IP norm levels. For this product the IP rate is IP65 when using the covers for the chassis parts. IP65 means according classified norm: shielded against dust and pressurized water from any side. Typical use for outdoor rated stage events with normal weather acceptance. So no heavy rain, because then the water pressure over exceeds the IP norm.



CONDENSATION/MOISTURE INSIDE HOUSING

Because of high humidity levels during production condensation can occur inside the housing. This is mostly visible on the coldest parts of the fixture, like the front glass or display. To prevent this problem we work with special conditioned areas for outdoor fixtures. Because of the breathing air valves it is still possible to get humidity inside the fixture. This will evaporate slowly. Do not put wet fixtures in a flightcase, this will help humidity enter the fixture.

FIXTURES TEMPERATURE SPECIFICATION

Make sure the fixture is used within its working temperature range. Outside this range we cannot guarantee correct operation.

TEMPORARY USAGE:

Stage event equipment is designed for temporary outdoor use. Materials are not designed for long-term exposure to heavy weather conditions. Rubber covers will be negatively affected by long-term UV exposure and should be checked by qualified service technicians over time. Tightening screws too hard will negatively affect the IP-rating.

SETUP

Warning! Read "Safety Information" before installing, powering, operating the fixture.

CONTROL PANEL AND MENU NAVIGATION

The onboard control panel and backlit graphic display are used to adjust the DMX address, fixture settings (personality), service utilities. See "Onboard control menus" for a complete list of menus and commands.

Using the control buttons:

- To enter the menu select [ENTER].
- Press [UP], [DOWN], [LEFT] AND [RIGHT] to scroll within a menu or adjust values.
- To enter a menu, select a function or apply a selection, press [ENTER].
- To escape a function or move back one level in the menu structure, press [LEFT].

DMX ADDRESS SETTING

The DMX address is the first channel used to receive instructions from the controller. For independent control, each fixture must be assigned to a separate channel. The DMX address can be configured by using the DMX ADDRESS menu in the control panel.

- NO DMX: Display flashes and shows at 'DMX: X'.
- DMX: Display backlight turns off and shows 'DMX: V'.
- The fixture is fully RDM ready. For RDM functions please refer to the ANSI/ESTA E1.20-2006 standard.

W-DMX CONTROL

This is an invisible menu. This menu will only be displayed when a wireless module is inserted. Do not use Wireless DMX and Wired DMX at the same time because it will give unwanted interference.

- When this sign appears, it means: Connected Transmitte and Wireless DMX Connect." ▲ : √ √ "
- When this sign appears, it means: Connected Transmitte , No wireless DMX." \blacksquare : \checkmark X "
- When this sign appears, it means: Not found transmitte and No wireless DMX ." 🗚 : XX "

ONBOARD CONTROL MENU

| Main menu | Menu level 1 | Menu level 2 Addross(*** ***) (Dofault:001) | Menu level 3 | Menu level 4 |
|------------|--|--|--|--------------|
| | Address:001-512 | Address(***-***) (Default:001) Wire WDMX OEE(Default) | | |
| MX Address | DMX Signal mode | Wire WDMX OFF(Default) Wireless WDMX ON | | |
| | Return(ESC) | | | |
| | - Power hours | C Total Hours: ***(H) Rst Hours: ***(H) | | |
| | 1 onor nouro | Rst Hours: ***(H) | | |
| | Lamp hours | C Total Hours: ***(H) Rst Hours: ***(H) | | |
| | | - Total Strikes: *** | | |
| | Lamp strikes | C Total Strikes: *** Rst Strikes: *** | | |
| | | | | |
| | Temperature | E-ballast:000.0 In TEMP :000.0 | | |
| | | | - Cur TEMP: *** | |
| | | E-ballast | - Max TEMP: *** | |
| | | | Min TEMP: *** | |
| | Logged temperature | | Cur TEMP: *** | |
| | | In temperature | – Max TEMP: *** – Min TEMP: *** | |
| | | Return(ESC) | | |
| | | Return(ESC) | - 1.Power1:**.*V | |
| | | | - 2.Sp-Fan1:**.*% | |
| | | | - 3.Sp-Fan1:****R | |
| | | - Lamp fan | - 4.Power2:**.*V | |
| | | Lampian | – 5.Sp-Fan2:**.*% | |
| | | | - 6.Sp-Fan3:**.*% | |
| | | | - 7.Sp-Fan2:****R - 8.Sp-Fan3:****R | |
| | | | - 1.Power:**.*V | |
| | Fan information | – Out fan | - 2.OutFan:**.*% | |
| | | | - 3.OutFan:****R | |
| | | – In fan | - 1.Power1:**.*V | |
| | | | L.Power1:**.*V 2.Power2:**.*V | |
| | | | = 1.Power: "V | |
| | | – Base fan | – 2.BaseFan1:**.*% – 3.BaseFan2:**.*% | |
| nformation | | - Base fan | - 3.BaseFan2:***** - 4.BaseFan1:****R | |
| | | | 5.BaseFan2:****R | |
| | | Return(ESC) | | |
| | – RDM UID | 02E2:******* | | |
| | | - 1.Pan 000~255 | | |
| | | - 2.Pan Fine 000~255 - 3.Tilt 000~255 | | |
| | | - 4.Tilt Fine 000~255 | | |
| | | - 5.P/T Speed 000~255 | | |
| | | - 6.Function 000~255 | | |
| | | – 7.Cyan 000~255 | | |
| | | - 8.Magenta 000~255 | | |
| | | - 9.Yellow 000~255 | | |
| | – DMX live | - 10.Color 000~255 - 11.FixGobo 000~255 | | |
| | - DIVIX live | - 12.Prism 000~255 | | |
| | | - 13.Prism Rot 000~255 | | |
| | | - 14.Prism2 000~255 | | |
| | | - 15.Prism Rot2 000~255 | | |
| | | - 16.Frost 000~255 | | |
| | | - 17.Focus 000~255 | | |
| | | - 18.Focus Fine 000~255 - 19.Shutter 000~255 | | |
| | | - 19.Snutter 000~255 - 20.Dimmer 000~255 | | |
| | | 20.Dimmer 000~255 21.Dimmer Fine 000~255 | | |
| | | XY Board: V*.** | | |
| | | - CMY Board: V*.** | | |
| | - System version | - FOCUS Board: V*.** | | |
| | | - FAN Board: V*.** | | |
| | | DIS Board: V*.** | | |
| | Return(ESC) | r- OFF | | |
| | - Auto lamp on | LON | | |
| | | OFF ON (Password to unlock 2222 | | |
| | Display lock | | | |

| Main | Menu level 1 | Menu level 2 | Menu level 3 | | Menu level 4 |
|----------------|--------------------|--|--|--|--|
| | | Wireless ON/OFF | C ^{off} | | |
| | – Wireless options | – wireless settings | Unlink transmitter | | |
| | | - wireless status | - Connected Transmitte Connected Transmitte | No wireless DMX No wireless DMX Wireless DMX Connect | |
| Personal | D.T. | Pan invert | LOFF | | |
| | – P/T invert | Tilt invert | LOFF | | |
| | | Return(ESC) | | | |
| | | Backlight | L Always on Auto off (15s) | | |
| | – Display | – Rotate | C Normal Rotate 180 | | |
| | | Backlight blink | Coff | | |
| | | Return(ESC) | | | |
| | - P/T speed mode | Fast Precise | | | |
| | - CMY TV mode | | ady in the beam) | | |
| | Return(ESC) | - 1.Pan 000~255 | | | |
| | - Channel control | - 2.Pan Fine 000-255 - 3.Tilt 000-255 - 4.Tilt Fine 000-255 - 5.P/T Speed 000-255 - 6.Function 000-255 - 7.Cyan 000-255 - 7.Cyan 000-255 - 10.Color 000-255 - 11.FixGobo 000-255 - 11.FixGobo 000-255 - 13.Prism Rot 000-255 - 14.Prism 200-255 - 15.Prism Rot 200-255 - 16.Frost 000-255 - 17.Focus 900-255 - 18.Focus Fine 000-255 - 19.Shutter 000-255 - 20.Dimmer 000-255 - 21.Dimmer Fine 000-255 | | | |
| Manual control | | | Cone Edit | | Sequence *** 1.Pan 000-255 2.Pan Fine 000-255 3.Tilt 000-255 4.Tilt 000-255 6.Function 000-255 6.Function 000-255 7.Cyan 000-255 8.Magenta 000-255 10.Color 000-255 11.Fix60bo 000-255 12.Prism 000-255 13.Prism Rot 000-255 14.Prism 200-255 15.Prism Rot 000-255 16.Frost 000-255 17.Focus 000-255 17.Focus 5. |
| | – Program Editor | Editor | – Wait Time | | 19.5hutter 000-255 20.Dimmer 000-255 21.Dimmer Fine 000-255 Save the scence Return(ESC) Static Scene:*** Time Static Scene:*** Time Static Scene:*** Time Static Scene:*** |

| Main menu | Menu level 1 | Menu level 2 | Menu level 3 | Menu level 4 |
|----------------|---------------------------------------|---|---|--|
| | | | – Fade Time | Save the time Return(ESC) |
| | | | | Static Scene:*** |
| | | | – Copy Scene | - Copy Scene Return(ESC) |
| | | | | - Static Scene:*** |
| | | | - Paste Scene | Paste Scene |
| | | | | Return(ESC) |
| | | | – Clear Scene | - Clear Scene |
| | | | D. (| Return(ESC) |
| | | | Return(ESC) Program 1 | |
| | | Program run mode | Program 1 Program Captured DMX | |
| | | – Run Program | LNO | |
| | | – Stop Program | LNO | |
| | | | NO | |
| | | Run on power on | | |
| | | | | Static Scene:*** |
| | | - Capture DMX | - Saved DMX data | Saved Scene from DMX Return(ESC) |
| | | | Return(ESC) | |
| | | Return(ESC) | | |
| | – System reset | Pan/Tilt reset | | |
| | Gystelli reset | Head motor reset Return(ESC) | | |
| | Return(ESC) | | | |
| | | - Error list | NO | |
| | Error information | Empty list | Loff | |
| | | - Return(ESC) | NO | |
| | | Reset Power Hours | C ^{NO} _{YES} | |
| | | - Reset Lamp Hours | C ^{NO} _{YES} | |
| | Reset Timers | - | | |
| | | Reset Lamp Strikes | C ^{NO} Yes | |
| | | Return(ESC) | - Go back | |
| | | - Load default | C Go back Load Default | |
| | | | Total Power Hours Total Lamp Hours | |
| | | Reset Total Timers | – Total Lamp Strikes | |
| | | 0 | Return(ESC) | |
| Service | | Clear logged temperature | | Pan 000-255 |
| | | | | – Tilt 000-255 |
| | | | | – Cyan 000-255 – Magenta 000-255 |
| | | | | Yellow 000-255 |
| | - Factory | | | – Color 000-255 – FixGobo 000-255 |
| | | - Calibration | - 3256 | – Prism1 000-255 |
| | | Calibration | - 3250 | Prism Rot 000-255 Prism2 000-255 |
| | | | | Prism2 000-255 Prism Rot2 000-255 |
| | | | | Frost 000-255 |
| | | | | – Focus 000-255 – Dimmer1 000-255 |
| | | | | Dimmer2 000-255 |
| | | – Developer | | Return(ESC) 000-255 |
| | | Return(ESC) | | |
| | C Off | | | |
| Lamp | – On | | | |
| | – Test P/T – Test effect | STEP *** | | |
| Test | - Test all | STEP *** | | |
| | Return(ESC) | | | |
| Rotate display | C Rotate 180 | | | |
| | | | | |


DMX PROTOCOL


| CHANNEL | FUNCTION | VALUE | SETTING | NOTE |
|---------|-------------------------|------------------------|---|------|
| 1 | Pan | 0-255 | Pan | |
| 2 | Pan Fine | 0-255 | Pan Fine | |
| 3 | Tilt | 0-255 | Tilt | |
| 4 | Tilt fine | 0-255 | Tilt fine | |
| 5 | Pan/Tilt speed | 0-255 | Speed from max. to min | |
| | | 0-9 | Reserved (0=default) | |
| | | 10-14 | Display lock off | |
| | | 15-19 | Display lock on | |
| | | | * function is active only3 seconds after switching the fixture on | |
| | | 20-24 | Display rotate normal | |
| | | 25-29 | Display rotate 180° | |
| | | 30-34 | Display backlight always on | |
| | | 35-39 | Display backlight auto off(15s) | |
| | | 40-44 | Display backlight blink off | |
| | | 45-49 | Display backlight blink on | |
| | | 50-54 | XY Normal mode XY Fast mode | |
| | | 55-59 60-64 | XY Presise mode | |
| | | 65-69 | Reserved | |
| | | 70-74 | CMY TV mode Off | |
| | | 75-79 | CMY TV mode On | |
| | | 80-84 | Auto lamp off at power-up | |
| | | 85-89 | Auto lamp on at power-up | |
| | | 90-94 | Reserved | |
| | D (0) 1 (0) (1) | 95-99 | Reserved | |
| 6 | Power/Special functions | 100-104 | Pan invert off | |
| | | 105-109 | Pan invert on | |
| | | 110-114 | Tilt invert off | |
| | | 115-119 | Tilt invert on | |
| | | 120-124 | Reserved | |
| | | 125-129 | Reserved | |
| | | 130 - 139 | Lamp On | |
| | | 140 - 149 150 - 159 | Pan/Tilt reset Head motor reset | |
| | | 160 - 169 | Total reset | |
| | | 170 - 179 | Reserved | |
| | | 180 - 189 | Reserved | |
| | | 190 - 199 | Reserved | |
| | | 200 - 209 | Reserved | |
| | | 210 - 229 | Reserved | |
| | | 230 - 239 | Lamp Off | |
| | | 240 - 244 | Reserved | |
| | | 245 - 249 | Reserved | |
| | | 250 - 255 | Reserved | |
| 7 | Cyan | 0 - 255 | Cyan from min. saturation> full cyan (0=default) | |
| 8 | Magenta | 0 - 255 | Magenta from min. saturation> full magenta (0=default) | |
| 9 | Yellow | 0 - 255 | Yellow from min. saturation> full yellow (0=default) | |
| | | 0-4 5 8 | White White+Red | |
| | | 5-8 9-12 | White+Red Red | |
| | | 9-12 13-17 | Red+Orange | |
| | | 18-21 | Orange | |
| | | 22-25 | Orange+Aquamarine | |
| | | 26-29 | Aquamarine | |
| | | | 1 | |

| CHANNEL | FUNCTION | VALUE | SETTING | NOTE |
|----------|-------------------|----------|---------------------------------|------|
| 0.0.0022 | | 30-34 | Aquamarine+Green | |
| | | 35-38 | Green | |
| | | 39-42 | Green+Light Green | |
| | | 43-46 | Light Green | |
| | | 47-51 | Light Green+Lavender | |
| | | 52-55 | Lavender | |
| | | 56-59 | Lavender+Pink | |
| | | 60-63 | Pink | |
| | | 64-68 | Pink+Yellow | |
| 10 | Colour | 69-72 | Yellow | |
| | | 73-76 | Yellow+Magenta | |
| | | 77-81 | Magenta | |
| | | 82-85 | Magenta+Cyan | |
| | | 86-89 | Cyan | |
| | | 90-93 | Cyan+CTO2 | |
| | | 94-98 | CTO2 | |
| | | 99-102 | CTO2+CTO1 | |
| | | 103-106 | CTO1 | |
| | | 107-110 | CTO1+CTB | |
| | | 111 -115 | СТВ | |
| | | 116-119 | CTB+Blue | |
| | | 120-123 | Blue | |
| | | 124-127 | Blue+White | |
| | | 128-191 | CCW, Fast→Slow Rotation | |
| | | 192-255 | CW, Slow→Fast Rotation | |
| | | 0-3 | Open/Hole (0=default) | |
| | | | Positioning | |
| | | 4-8 | Beam reducer 1 | |
| | | 9-13 | Beam reducer 2 | |
| | | 14-18 | Gobo 1 | |
| | | 19-23 | Gobo 2 | |
| | | 24-28 | Gobo 3 | |
| | | 29-33 | Gobo 4 | |
| | | 34-38 | Gobo 5 | |
| | | 39-43 | Gobo 6 | |
| | | 44-48 | Gobo 7 | |
| | | 49-53 | Gobo 8 | |
| | | 54-58 | Gobo 9 | |
| | | 59-63 | Gobo 10 | |
| | | 64-68 | Gobo 11 | |
| | | 69-73 | Gobo 12 | |
| | | 74-78 | Gobo 13 | |
| | | 79-83 | Gobo 14 | |
| | | 84-88 | Gobo 15 | |
| | | | Shaking gobos from slow to fast | |
| 11 | Static gobo wheel | 89-95 | Beam reducer 1 | |
| | 3 | 96-102 | Beam reducer 2 | |
| | | 103-109 | Gobo 1 | |
| | | 110-116 | Gobo 2 | |
| | | 117-123 | Gobo 3 | |
| | | 124-130 | Gobo 4 | |
| | | 131-137 | Gobo 5 | |
| | | 138-144 | Gobo 6 | |
| | | 145-151 | Gobo 7 | |
| | | 152-158 | Gobo 8 | |
| | | | | |


| CHANNEL | FUNCTION | VALUE | SETTING | NOTE |
|---------|--------------------------|--------------------|---|------|
| | | 159-165 | Gobo 9 | |
| | | 166-172 | Gobo 10 | |
| | | 173-179 | Gobo 11 | |
| | | 180-186 | Gobo 12 | |
| | | 187-193 | Gobo 13 | |
| | | 194-200 | Gobo 14 | |
| | | 201-207 | Gobo 15 | |
| | | | Rotating | |
| | | 208-227 | Forwards gobo wheel rotation from fast to slow | |
| | | 228-229 | No rotation | |
| | | 230-249 | Backwards gobo wheel rotation from slow to fast | |
| | | 250-255 | Auto random gobo selection from fast to slow | |
| | | 0-3 | Open position/hole (0=default) | |
| 12 | Prism1 | | prism in | |
| 12 | FISHI | 4-199 | Prism 1 | |
| | | 200-255 | Shaking Prism from slow to fast | |
| | | 0 | No function | |
| | | 1 - 63 | Prism 1 indexing | |
| | | 64-127 | Forwards prism rotation from fast to slow | |
| 13 | Prism1 indexing/rotation | 128-191 | Backwards prism rotation from slow to fast | |
| 15 | I Hamilton | 192-207 | from slow to fast 90°Swing | |
| | | 208-223 | from slow to fast 180°Swing | |
| | | 224-239 | from slow to fast 270°Swing | |
| | | 240-255 | from slow to fast 360°Swing | |
| | | 0-3 | Open position/hole (0=default) | |
| 14 | Prism2 | | prism in | |
| | | 4-199 | Prism 2 | |
| | | 200-255 | Shaking Prism from slow to fast | |
| | | 0 | No function | |
| | | 1 - 63 | Prism 2 indexing | |
| | | 64-127 | Forwards prism rotation from fast to slow | |
| 15 | Prism2 indexing/rotation | 128-191 | Backwards prism rotation from slow to fast | |
| | | 192-207 208-223 | from slow to fast 90°Swing from slow to fast 180°Swing | |
| | | 208-223 | from slow to fast 270°Swing | |
| | | 240-255 | from slow to fast 360°Swing | |
| | | 0-3 | Open (0=default) | |
| 16 | Frost | 4-128 | 100% Light Frost | |
| 10 | 11051 | 129-255 | Reserved | |
| 17 | Focus | 0 - 255 | Continuous adjustment from far to near (128=default) | |
| 18 | Focus Fine | 0 - 255 | Fine focusing (0=default) | |
| | | 0 - 31 | Shutter closed | |
| | | 32 - 63 | Shutter open (32=default) | |
| | | 64 - 95 | Strobe-effect from slow to fast | |
| | | 96 - 127 | Shutter open | |
| 19 | Shutter/ strobe | 128 - 143 | Opening pulse in sequences from slow to fast | |
| | | 144 - 159 | Closing pulse in sequences from fast to slow | |
| | | 160 - 191 | Shutter open | |
| | | 192 - 223 | Random strobe-effect from slow to fast | |
| | | 224 - 255 | Shutter open, Full lamp power | |
| 20 | Dimmer intensity | 0 - 255 | Dimmer intensity from 0% to 100% (0=default) | |
| 21 | Dimmer intensity - fine | 0 - 255 | Fine dimming (0=default) | |
| | | | | |

GOBO OVERVIEW






24 Prism




8 Prism



PHOTOMETRICS

distance, spot diameter and illumination diagram Spot model



HOW TO CLEAN THE FRONT LENS

This is a detailed step-by-step guide on how to clean the front lens of a moving head fixture. If not clean properly the performance will negatively effected.

This is a good set of instructions, and it emphasizes the importance of using the right cleaning solution, the soaking

method, careful drying, and avoiding wiping the lens when there are water droplets present. Here's a summary for clarity:

Materials Needed:

- Neutral degrease cleaning detergent .(No alcohol , No acetone)
- Microfiber cloth.
- Clean water.
- · Absorbent cloth or paper towel.

Cleaning Steps:

1.Prepare Cleaning Solution:

• Dilute the cleaning detergent with water to a concentration of 0.2% to 0.5% (200-500 times dilution).

2.Soaking Cleaning Method:

- Pour the diluted cleaning detergent onto the front lens cover, covering 1-2CM of the lens glass.
- · Gently wipe the lens glass with a microfiber cloth.
- · Soak for 2-5 minutes.
- · Clean the front lens with running water.
- Leave about 200ML of clean water in the lens and pour it out slowly to minimize water droplets on the lens.

3.Shake Out Remaining Water:

 After pouring out the water, gently shake the device up and down to remove any remaining water in the gaps of the lens.


4.Absorb Water Droplets:

- · If there are water droplets on the lens after cleaning, do not wipe the lens surface.
- · Use an absorbent cloth or paper towel to gently absorb the water droplets.

5.Natural Drying:


- Confirm that the lens surface is clean.
- Allow the lens to dry naturally for about 4 hours before reinstalling the device.
- If cleaning is not satisfactory, repeat step 2.

Remember to follow the manufacturer's guidelines for cleaning and maintenance if available, as different devices may have specific recommendations. Additionally, be cautious not to damage the lens coating or other delicate components during the cleaning process.






Leave about 200ML of clean water in the lens and pour it out slowly to minimize water droplets on the lens.



If there are water droplets on the lens after cleaning, do not wipe the lens surface. Use an absorbent cloth or paper towel to gently absorb the water droplets.

WWW.CLF-LIGHTING.COM

CIRCUIT CONNECTION DIAGRAM



SPECIFICATIONS

| Power | |
|--|---|
| Input voltage & rate | AC100-240V~, 50/60Hz |
| Standby power | 70W |
| Total power consumption(at nominal voltage 100V) | 530W |
| Typical current (at nominal voltage 100V) | 5.3A |
| Total power consumption(at nominal voltage 230V) | 500W |
| Typical current (at nominal voltage 230V) | 2.15A |
| Cos φ - | 0.95 |
| Power factor | 0.958 (lamp on) |
| Power plug type | Seetronic powercon TRUE1 |
| Configuration | |
| Lamp | USHIONSL301 |
| Expected Lifetime | 2000 hours / normal |
| Lamp color temperature | 7400K |
| CRI level | 82 (Standard) |
| CCT Light Output | 7360K |
| Dimming frequency | 0-100% |
| Dimmer resolution | 65536 (16Bit) |
| Optical | |
| Beam angle | Beam projection 1.6° |
| Photometric | |
| Output @10M | Beam mode 1.6°: 910000 lx |
| Output @50M | Beam mode 1.6°: 36000 lx |
| Effects | |
| Color Mixing | CMY |
| Color wheel | Fixed color wheel 14 + open |
| Static Gobo wheel | Fixed wheel 17 + open |
| Prism wheel | Linear prism + 8 face prism + 24 face prism |
| Focus | 16 bit |
| Frost | 6° |
| Dimmer | 16 bit, 0-100% |
| Shutter | 12Hz / second |
| Pan | 540° |
| Tilt | 270° |
| Heat management | Forced ventilation with axial fans.Automatically adjust fan speed |
| Cooling type | |
| MAX ambient temp (Ta max) | Ta max= 40℃ |
| MIN ambient temp (Ta min) | Ta min= -20℃ |
| MAX housing temp. (ta=25°C) | Tc = 57℃ |
| MAX housing temp. (ta=40°C) | Tc = 62℃ |
| Menu | |
| Auto program | Manual program and Auto test program |
| Static color | White |
| Manual calibration | Service \rightarrow Calibration \rightarrow Function (0-255) |
| Factory calibration | Yes |
| Strobe speed | 0.5-12 times/second |
| Random strobe | 0.5-12 times/second |
| | |

| Control | |
|-----------------------------|--|
| Control protocol | DMX512 |
| DMX channel range | 21 |
| W-DMX | Wireless DMX512 |
| ACN | No |
| DMX input connection | 5-pin |
| Data input (artnet, SACN) | No |
| Hardware | |
| Interface | LCD Display (battery powered) |
| Software upload method | Software upload method XLR, firmware upload tool |
| Installation | |
| IP rating | IP65 (Use rubber power & data cover) |
| Orientation | Any |
| Housing | |
| Safety attachment point | Bottom |
| Lock | Tilt lock |
| Physical | |
| Net product weight | 26.4Kg |
| Machine dimensions - length | 372mm |
| Machine dimensions - depth | 244mm |
| Machine dimensions - height | 630mm |
| Carton size | 475mmx325mmx750mm |
| Gross weight | 29.9Kg |
| Accessories | |
| Included items | Manual, Power cable, DMX cable, Safety cable |
| Approvals | |
| Approved certifications | CE and RoHs. |
| Information | |
| Article number | 160050 |





WWW.CLF-LIGHTING.COM